

TECHNICAL DATA SHEET (TDS)

GTX - TILE & GROUT CLEANER

ID Product Code 111

SPECIFIC CLEANER FOR JOINTS**Alkaline cleaner for joints on marble, granite, stone, cement, ceramic and gres**

Pag. 1

Product description:

Highly effective detergent for cleaning joints and gaps between marble, granite, stone, cement, ceramic and gres tiles. GTX is effective for the removal of fatty, oily, dried dirt, even old one, of food origin and not.

GTX does not affect the health and metal surfaces (faucets, sinks, cooktops).

Chemical characteristics:

Appearance	Liquid
Color	Transparent
Odor	Light characteristic
Specific gravity at 20° C (68° F)	1,00 ± 0,02
Hydro-solubility	Soluble at every ratio
pH	12,00 ± 0,05
Shelf life at 20°C (68° F)	24 months in original container

Instruction for use

Manual use: Ready to use. spray GTX directly on the joint to be cleaned or on the dirt to be removed and immediately rub with enclosed sponge. In the case of very intense, resistant or old stains, wait 2 minutes before rubbing. If the stain is not completely removed, repeat the application.

Suggestion for use and recommendations:

- Do not dilute the product because the preparation is ready for use.
- For vertical use, protect underlying areas with a cloth if it is not necessary to clean them.
- Do not use on alkali sensitive materials.
- Read carefully recommendations printed on the tin and perform a test before use.

Application tools

Sponge

Application surfaces

Marble, granite, stone, cement, ceramic and gres.

Coverage

With 1 package of product, it is possible to clean 20/25 sqm (215/270 sq.ft.). Coverage of product depends on the quality and intensity of soil to remove and degree of porosity of joint to be cleaned.



DISCLAIMER All data indicated in this leaflet are the results of tests and experiments carried out in our laboratories and through reliable operators in the stone business and have to be considered reliable. Because of the many factors which can influence them, the information here reported do not constitute implicit or formal guarantees. The end user undertakes the responsibility in the usage of the product making sure to experiment the product characteristic as preventive measure.

**TDS N°**
111

TECHNICAL DATA SHEET (TDS)

Safety procedures

As far as the proper working procedures is concerned, we recommend to consult Material Safety Data Sheets issued according to E.U. rules and to follow your national laws concerning safety in the working place. MSDS is available on our web site www.bellinzoni.com

Packing

Pag. 2

Item N°	Packing	Pcs
111DGTX	500 ml. (16,90 fl.oz.)	10

Composition of the no-gas spray cans is High Density Polyethylene (HDPE). After use, comply with the local and national regulations currently in force regarding recycling. Our packing is conformed as per U.N. rules for inland transport (A.D.R.) and by sea (I.M.O.) for transportation via air refer to updated rules (I.A.T.A.). For further information regarding transport please check MSDS.

H.S. Code

34.02.1900

Trademark and Origin of the good

BELLINZONI® is a registered trademark of Bellinzoni company. The law considers a trademark to be a form of property and any misuse can be persecuted by law. Bellinzoni s.r.l. declares that our product GTX is **MADE IN ITALY**.



DISCLAIMER All data indicated in this leaflet are the results of tests and experiments carried out in our laboratories and through reliable operators in the stone business and have to be considered reliable. Because of the many factors which can influence them, the information here reported do not constitute implicit or formal guarantees. The end user undertakes the responsibility in the usage of the product making sure to experiment the product characteristic as preventive measure.

**TDS N°**
111